



+ • KODULEHE ÜLE TÕSTMINE

o

Eve Keerus-Jusupov

Varunduse tegemine

- „Duplicator” → „Create New” → pane duplikaadile sobiv nimetus (nt kuupäev_veebilehe_nimi, nimes ei tohi olla tühikuid ja täpitähti)
- Kliki nupp „Next” → kui sulle saabuvad hoiatused suurte failide, nende nimetuste ja mahu kohta, siis ole selle teadmiseга päri ja vali märkeruut valiku ees „Yes. Continue with the build process!”
- Kliki nupp „Build”. Veidike ootamist ja sulle luuakse kaks faili, mille pealkirjad on „Installer” ja „Archive”.
- Laadi alla nii fail „Installer” kui ka fail „Archive”.

FileZilla – lae alla ja installeeri (Client)

filezilla

 Kõik

 Pildid

 Videod

 Kaardid

Umbes 5 400 000 tulemust (0,44 sekundit)

filezilla-project.org ▾ Tõlgi see leht

FileZilla - The free FTP solution

FileZilla - The free FTP solution for both client and s distributed free of charge.

Tulemused saidilt filezilla-project.org

Download FileZilla Client

Download FileZilla - FileZilla

Server - 32bit - Mac OS X - ...

Veebimajutus – https toe lisamine

Ülevaade

Domeen

E-post

Koduleht

Veebiserver

Andmebaasid

Pakett ja lisateenused

Serveri info

Logid

FTP kasutajad

Virtuaal FTP kasutajad

Veebipõhine FTP 

SSH kasutajad

SSL sertifikaat

SSL sertifikaadi tellimine

Let's Encrypt SSL sertifikaat on meie juures tasuta ning uuendame seda automaatselt. Sinu koduleht HTTPS-i peal on turvalisem, kiirem ja tuleb Google'is paremini välja.



Domeen

www.digiope.ee



Sertifikaadi tüüp

Let's Encrypt




Periood

3 kuud (tasuta)



Telli

Lisa ka aliased sertifikaadile 

Veebimajutus FTP konto loomine

Ülevaade

Domeen

E-post

Koduleht

Veebiserver

Andmebaasid


Pakett ja lisateenused

Serveri info

Logid

FTP kasutajad

Virtuaal FTP kasutajad

Veebipõhine FTP 

SSH kasutajad

SSL sertifikaat

Seaded

Lisa uus FTP kasutaja

FTP kliendiga failide transportimiseks kasuta serveri aadressina digiope.ee.klient.veebimajutus.ee



Kasutaja vhost82787f0

Parool



Kataloog

htdocs



Lisa

[Genereeri parool](#)

Veebimajutus – andmebaasi loomine

Ülevaade

Domeen

E-post

Koduleht

Veebiserver

Andmebaasid

Pakett ja lisateenused

MySQL

phpMyAdmin [↗](#)

PostgreSQL

phpPgAdmin [↗](#)

Väline ligipääs

Lisa uus MySQL kasutaja

Meie juures on andmebaasi nimi ja kasutajanimi enamasti samad.
Hostname on localhost

Kasutaja/andmebaas vhost82787s0

Parool



Selgitus


Lisa

[Genereeri parool](#)



Lae varundus FTP programmiga üles


- Logi FTP programmiga veebiserverisse
- Host on sinu domeeninimi ja kasutajanimi ning parool sai just loodud



Lae varundus FTP programmiga üles

- Parem pool on veebiserver ja vasak pool on arvuti
- Paremal pool kustuta index.php
- Vasakult poolt otsi üles installer.php ja kokku pakitud arhiivi fail
- Lohista mõlemad failid vasakult poolt paremale poole

Tõstame veebilehe üle



Duplicator version: 1.2.30
> info > help

Step 1 of 4: Deployment

Archive Pass

Validation Pass

Options

I have read and accept all [terms & notices](#) (required to continue)

Next

- Ava aadress:
<https://nimi.ee/installer.php>

Sisesta andmebaasi andmed

Duplicator version: 1.2.30
» info » help

Step 2 of 4: Install Database [installer-log.txt](#)

Basic cPanel

Setup

Action: Connect and Remove All Data

Host: Sisesta MySQL serveri address Port: 3306

Database: Sisesta kloni andmebaasi nimi
Warning: The selected 'Action' above will remove all data from this database!

User: Sisesta kloni andmebaasi kasutaja

Password: Sisesta kloni andmebaasi kasutaja parool

Using Connection String:
Host=localhost; Database=ekursuse_28okt02; Uid=ekursuse_28okt02; Pwd=28Oktoober2015.; Port=3306

Host: Success
Database: Success
Version: 10.1.29-MariaDB
Compatibility: This Server: [10.1.29] -- Package Server: [10.1.28]

Hide Message

Options

Test Database Next

Host – sisesta MySQL serveri aadress.

Database – sisesta andmebaasi nimi.

User – andmebaasi kasutajanimi.

Password – sisesta andmebaasi kasutaja parool.

Kliki nuppu **Test Database** > kui näidatakse teadet “**Success**” **Host** ja **Database** kohta, siis kliki nuppu **Next** ja Install Confirmation hüpikaknas kliki nuppu **Yes**.

Vali Next ja logi oma lehele sisse

Duplicator version: 1.2.30
» [info](#) » [help](#)

Step 3 of 4: Update Data [installer-log.txt](#)

[-] New Settings

URL: [get](#)

Path:

Title:

[+] Options

[Next](#)

Duplicator version: 1.2.30
» [info](#) » [help](#)

Step 4 of 4: Test Site [installer-log.txt](#)

[Site Login](#) *Login to finalize the setup*

[Show Report](#) *Optionally review the migration report*
Install Notices: (0) Update Notices: (0) General Notices: (0)


Additional Notes:

- Review the [front-end](#) or re-run installer at [step 1](#)
- The `.htaccess` file was reset. Resave plugins that write to this file.
- Visit the [troubleshoot](#) section or [online FAQs](#) for additional help.


[Want More Power?](#)

Lehe avalikuks tegemine

- Vali Sätted → Lugemine → eemalda linnuke



- Vali Sätted → Password Protected



Google Analytics

- Admin → Property → Property Settings

Property Settings

Basic Settings

Tracking Id

UA-7667256-20

Property Name

https://kodulehekoolitused.ee

Default URL

https://

Google Analytics

- Admin → View → View Settings

View Settings

Basic Settings

View ID

54373753

View Name

kodulehekoolitused.ee - filter

Website's URL

https://

Hotjar

- Settings → Sites & Organizations → hammasratas (Site settings)
- Muuda Site URL
- Tracking code → Verify installation → Muuda URL

Site settings

SITE URL

Tracking code

Verify installation

Steps to verify if Hotjar is installed correctly on your site:

- ① Enter the URL of the site you installed Hotjar onto in the field below.

e.g. <http://www.yoursite.com> or <http://localhost:8000>

- ② Click the verify button below and check that you see a confirmation badge like this



Verify Installation

Hotjar → kustuta loodud soojakaardid ja loo uued

🔥 Heatmaps

+ New Heatmap

Visualize behavior – Understand what users want, care about and do on your site by visually representing their clicks, taps and scrolling behavior – which are the strongest indicators of visitor motivation and desire.

[Click Heatmaps](#)


[Move Heatmaps](#)

[Scroll Heatmaps](#)

[Download and share Heatmaps](#)

[Heatmaps split by device type](#)

Hotjar – ekraanivideod. Kustuta olemasolevad ja käivita uuesti



The screenshot displays the Hotjar Recordings interface. On the left is a sidebar with navigation icons and a search bar. The main area shows a list of recordings with columns for selection, favorites, user ID, and landing/exit pages.

Segments

Last 30 days




Favorites

Mobile Users

Recordings

Last 12 months [+ Add filter](#) [Clear filters](#) [Save as Segment](#)

357 match of 356

<input type="checkbox"/>	<input type="checkbox"/>		USER	LANDING & EXIT PAGES
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	 240d6f07	LANDED / EXITED /
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	 9d4573c3	LANDED /teenused/personal-ja-palk/ EXITED /teenused/personal-ja-palk/
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	 08a29814	LANDED / EXITED /

Filter your recordings and save them to create your own segments.

E-post

Ülevaade

Domeen

E-post

Koduleht

Veebiserver

Andmebaasid

Pakett ja lisateenused

Aadressid

Aliased

Postiloendid

E-posti lugemine 

Lisa uus e-posti aadress

Standard paketiga saad lisada piiramatu hulga e-posti aadresse

@digiop.ee



Lisa

[Genereeri parool](#)

